



Oral antibiotics

Azivirus[®] (azithromycin)

Cefpro[®] (cefprozil)

Zinfect[®] (azithromycin)

Products presentation



Azivirus[®]

verisfield[®]

Product characteristics

- **Active ingredient:** Azithromycin (as dihydrate)
- **Pharmaceutical form:** Film coated tablets
- **Route of administration:** Oral use
- **Strength:** 500 mg/tab and 600 mg/tab
- **Packaging:** **500 mg:** BT x 3 tabs (blister)
600 mg: BT x 8 tabs (blister)



Azivirus[®]

verisfield[®]

Therapeutic indications - dosage

- Azivirus[®] (500 mg) is indicated for the treatment of various infections caused by one or more susceptible microorganisms (upper-lower respiratory tract infections, skin infections, acne, urogenital infections, etc)
- **Dosage:** depending on the infection. Mean dose is 1 tablet (500 mg) daily



Azivirus[®]

verisfield[®]

Therapeutic indications - dosage

- Azivirus[®] (600 mg) is indicated (alone or in combination with rifabutin) for prophylactic treatment against *Micobacterium Avium Intracellulare* (MAC) in HIV positive patients
- **Dosage:** 1200 mg (2 tablets), once weekly



Cefpro®

verisfield®

Product characteristics

- **Active ingredient:** Cefprozil (as monohydrate)
- **Pharmaceutical form:** Film coated tablets
- **Route of administration:** Oral use
- **Strength:** 500 mg/tab
- **Packaging:** BT x 8 tabs (blister)



Cefpro[®]

verisfield[®]

Therapeutic indications - dosage

- Cefpro[®] contains cefprozil, which belongs to second generation cephalosporins and is indicated for the treatment of various infections caused by one or more susceptible microorganisms (upper-lower respiratory tract infections, pneumonia, skin infections etc)
- **Dosage:** depending on the infection. Mean dose is 1 tablet (500 mg) every 12 to 24 hours



Zinfect®

verisfield®

Product characteristics

- **Active ingredient:** Azithromycin (as dihydrate)
- **Pharmaceutical form:** Film coated tablets
- **Route of administration:** Oral use
- **Strength:** 250 mg/tab and 600 mg/tab
- **Packaging:** **250 mg:** BT x 6 tabs (blister)
600 mg: BT x 8 tabs (blister)



Zinfect®

verisfield®

Therapeutic indications - dosage

- Zinfect® (250 mg) is indicated for the treatment of various infections caused by one or more susceptible microorganisms (upper-lower respiratory tract infections, skin infections, acne, urogenital infections, etc)
- **Dosage:** depending on the infection. Mean dose is 2 tablets (500 mg) daily



Zinfect®

verisfield®

Therapeutic indications - dosage

- Zinfect® (600 mg) is indicated (alone or in combination with rifabutin) for prophylactic treatment against *Micobacterium Avium Intracellulare* (MAC) in HIV positive patients
- **Dosage:** 1200 mg (2 tablets), once weekly